



ACCURATE & EASY TO USE

Discover a wide selections of our
sound measurement equipments according to your
sound measurement needs

PRBS 01

PROBE SENSOR

www.placidinstruments.com



PLACID INSTRUMENTS BV


Newtonlaan 115 Office No. 2.21 3584 BH UTRECHT, THE NETHERLANDS

Phone +31 302106021

email info@placidinstruments.com

website www.placidinstruments.com

PLACID PROBE SENSOR PRBS-01





PLACID INSTRUMENTS BV

Newtonlaan 115 Office No. 2.21 3584 BH UTRECHT, THE NETHERLANDS

Phone +31 302106021

email info@placidinstruments.com


website www.placidinstruments.com

PLACID PROBE SENSOR

PRBS-01

Suitable add on for a measurement microphone set

- Typical applications and uses
- Acoustic impedance measurement
- Exhaust system measurement
- Near Field Measurement
- Pressure distribution measurement in small sealed rooms.





PLACID INSTRUMENTS BV

Newtonlaan 115 Office No. 2.21 3584 BH UTRECHT, THE NETHERLANDS

Phone +31 302106021

email info@placidinstruments.com

website www.placidinstruments.com

PLACID PROBE SENSOR

PRBS-01


SPECIFICATION PRBS01



Sensitivity (mV/PA)	3 mV / Pa
Frequency (Hz)	10 Hz — 8 kHz
Dynamic Range (dB)	40 dB – 166 dB
Upper Temperature Limit	400°C

VARIABLE LENGTH

Length in mm





Placid Instruments BV

Newtonlaan 115, Office No. 2.21

3584 BH UTRECHT

THE NETHERLANDS

Phone landline : +31 302106021

Email : info@placidinstruments.com

www.placidinstruments.com

ASK US!
HERE

